
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



No. 12.

Trade Price List

LIBRARY.
S. Department Distriction of the Company o

RECEIVED



1908 - 1909

PLEASE READ CAREFULLY BEFORE ORDERING.

The publication of this list cancels all previous quotations.

TERMS—Cash with order or usual trade references from unknown correspondents. All accounts become due and subject to draft, unless otherwise arranged, 60 days from date of invoice. Two per cent discount for remittance within 30 days from date of invoice.

DOMESTIC REMITTANCES requested by Postal or Express Money Order, Registered Letter or draft on a New York or Atlanta Bank. Our banks charge for collection of local checks.

FOREIGN REMITTANCES are payable in United States currency through Money Order on Atlanta Postoffice or Draft on a New York or Atlanta Bank. We ask that remittances not be made in foreign postage stamps or foreign individual checks.

POSTAGE—The rate is 8c per pound, which ought to be added to remittance. Limit to weight in domestic mail is lour pounds and in loreign mail twelve ounces. Registration fee in all instances 8e per package.

PARCELSPOST packages are admitted to a number of foreign countries now. Limit of weight per parcel is four pounds aix ounces, and the rate is twelve cents per pound of fraction thereof.

FREIGHT AND EXPRESS—Unless instructed we shall use our own discretion as to kind of conveyance or route. Nearly all express companies allow now a deduction of twenty per cent, from regular merchandise rates for shipment of seeds and roots. All goods sent at risk of consignee.

FOREIGN SHIPMENTS will be consigned to Downing's Foreign Express, 120 Broad St., N. Y. or their correspondents at other ports, unless we receive other instructions.

MARINE INSURANCE will be effected only at request and expense of consignee.

REQUEST FOR EARLY ORDERS—We do not sell-any old seeds and do not take in stock, therefore, much larger quantities than we can be reasonably sure of selling during the ensuing season. It is very important on this account, especially, that orders for large quantities of early maturing kinds, should reach us as sarly as possible in the season to assure complete execution. While we anticipate at this writing a supply of all kinds offered our acceptance of orders is not a warranty for delivery, but it is subject to crop accidents and limits of crops. All quotations are subject to change without notice.

WARRANTY—While we exercise greatest care to have all our seeds, bulbs, plants, etc., pure and reliable, they are sold without warranty and without any responsibility, expressed or implied, in respect to the crop. If our goods are not accepted on heae terms we must be informed at once after their inspection upon arrival at destination to arrange for their return. We can not consider deferred claims or claims after the seeds have been planted.

An exchange of catalogs, seed lists, etc., is desired

This list is intended only for the Trade and others entitled to wholesale prices. Our beautifully illustrated descriptive Catalog contains a wealth of valuable information. Please ask for it.

OTTO KATZENSTEIN & CO.

Office and Warehouse: 35-43 W. ALABAMA STREET,
ATLANTA, GEORGIA.
Cable Address: TREESEEDS, ATLANTA, GA.

A. B. C. CODE, 4th EDITION AND PRIVATE CODE.

Long Distance Telephone.

TRADE PRICE LIST OF SEEDS OF AMERICAN CONIFERS, TREES, SHRUBS. HERBS.

1908



1909

CONIFERS

Half ounce, quarter pound, 25 lbs. rate at once, pound, and hundred pound rates respectively. No seeds invoiced for less than 10 cents. Quotations on larger lots than listed given by letter. Asterisk means not hardy.

CODE WORD.

| ABIES. | Oz. | Lb. |
|---------------------------|------|-------|
| Abaa amabilis, Forb | .45 | 3.50 |
| Abae arizonica, Merr | 1.25 | 10.00 |
| Silver Cork Fi: | | |
| Abao balsamea, Mill | .20 | 1.00 |
| Abay concolor L. & G | .15 | 1.60 |
| Abba concolor violacea | .25 | 2.50 |
| Abbe fraseri, Lindl | .30 | 3.20 |
| Abbi grandis, Lindl | .45 | 4.00 |
| Abbo magnifica, Murr | .40 | 3.00 |
| Ken Fir | | |
| Abbu magnifica shastensis | | |
| Lemm | .65 | 5.00 |
| Abda subalpina, Eng | .50 | 4.50 |
| CEDRUS. | | |
| Abdy deodara, Loud | .25 | 2.00 |
| Abdu libani, Barr | .25 | 2.00 |
| CHAMAECYPARIS. | | |
| Abea lawsoniana, Parl | .35 | 3.00 |
| Abei thyoides. B. S. P | .30 | 2.50 |
| *CUPRESSUS. | | |
| Abfy arizonica | .45 | 3.50 |
| Abga goveniana, Gord | .30 | 2.50 |
| Abge guadalupensis, Wats | .30 | 2.50 |
| Abgi macnabiana, Murr | .25 | 2.00 |
| Abgo macrocarpa, Hart | .15 | 1.20 |
| Monterey Cypress | | |

| orio kareansirin & C | 0. | |
|--|------|--------------|
| GINKGO. | Oz. | Lb. |
| · Abha biloba, Kaempf. | .10 | .50 |
| JUNIPERUS. | | |
| Abja occidentalis, Hook. var. | | |
| monosperma, Eng. | | 1.20 |
| Abji pachyphloea, Torr Abjy scopulorum, Sarg | .25 | 1.80 1.50 |
| Abka virginiana, L | .10 | .50 |
| Red Cedar | | |
| LARIX. | 1.25 | 14.00 |
| Abla americana, Michx | .15 | .85 |
| LIBOCEDRUS. | .10 | |
| Abia decurrens, Torr | .25 | 2.25 |
| Incense Cedar | | |
| PICEA. | | |
| Abpa alba, Lk | .40 | 3.50 4.00 |
| Abpi engelmanni Eng | .10 | .65 |
| Norway Spruce | | |
| Abpy pungens, Eng | .40 | 3.50 |
| Blue Spruce. Abre pungens glauca | .50 | 4.50 |
| Abro rubra Lk. | .40 | 3.50 |
| Abru sitchensis Carr. | .40 | 3.50 |
| Tideland Spruce. | | |
| PINUS. | | |
| australis see P. palustris | .20 | 2.00 |
| Abte balfoureana var. aristata, Abti banksiana, Lamb | .40 | 3.00 |
| Tools Pine | 10 | |
| Abto cembra. L | .10 | .50 |
| Stone Pine | .55 | 5.00 |
| Abty coulteri, D. Don. | .50 | 0.00 |
| echinata see P. mitis | .25 | 2.50 |
| Abua edulis, Eng | .20 | 1.60 |
| Nut Pine | 20 | 2.00 |
| Abue flexilis, James | .20 | 2,00 |
| Limber Pine Abui inops, Sol | .45 | 3.50 |
| Abuo insignis, Dougl | .25 | 2.25 |
| Monterey Pine | 0.5 | 2.00 |
| Abuy jeffreyi, Murray. | .25 | 2.00 |
| Abva lambertiana, Dougl Sugar Pine. | .20 | 1.25 |
| Abve laricio, Poir | .20 | 1.40 |
| Corsican Pine | | |
| Abyi larico austriaca | .20 | 1.40 |
| Austrian Pine | 10 | .50 |
| Abvo maritima. Poir Abya mitis, Michx. (P. echina- | .10 | .50 |
| ta,, Mill) | .30 | 2.50 |
| Shortleaf Pine. | 1000 | |
| Abye monophylla, Torr. & | 1 | |
| Frem | .30 | 2.25 |

| 1b. |
|-----|
| .00 |
| .50 |
| .00 |
| .00 |
| .50 |
| .00 |
| .00 |
| |
| .80 |
| .50 |
| |
| |
| .25 |
| 00 |
| .90 |
| .00 |
| .50 |
| .00 |
| |
| .25 |
| .50 |
| |
| 00 |
| .00 |
| |
| |
| .50 |
| .50 |
| .00 |
| |
| |
| .50 |
| 100 |
| |
| .00 |
| .50 |
| .00 |
| |
| |
| .00 |
| .80 |
| |
| .75 |
| |
| |
| - |
| .50 |
| .50 |
| |
| .50 |
| |
| |
| |

TREES AND SHRUBS

Half ounce, quarter pound, 25 pounds at ounce, pound and hundred pound rates respectively. No seeds invoiced at less than 10 cents. Prices for large quantities will be will be quoted by letter upon application. Asterisk means not hardy.

We are using the following abbreviations.

e means evergreen. d means deciduous. t means tree.

s means shrub.

v means vine or climbing.

ACER.

Example: et stands for evergreen tree.

1b.

Oz

CODE WORD.

| - | 4 9 | 1 D 1 | | | 1-20 | |
|------|------|---------------------------------------|------|------|------|------------|
| | Adaa | dt circinatum, Pursh Vine Maple. | | | .15 | 1.25 |
| 3 | Adai | dt glabrum, Torr | | | 20 | 1.60 |
| | Adan | 44* magraphyllum Durch | | | .20 | |
| | Adao | dt* macrophyllum, Pursh dt negundo, L | | | | .50 |
| | | Box Elder. | | | .10 | .35 |
| J | Aday | dt palmatum, Thbg Japanese Maple | | | -35 | 3.20 |
| 1 | Adbe | dt pennsylvanicum, L | | | .15 | 1.60 |
| 7 | Adbi | dt. platanoides, L | | | | .40 |
| | | Norway Maple | | | | 40 |
| | Adha | dt. p reitenbachi. Nich | | | | |
| 7 | | dt. p. schwedleri C. | | | .15 | 1.25 |
| -6 | Many | Koch | | | | 0. |
| 1000 | A d | dt, pseudoplatanus, L | | 0.00 | .10 | .80 |
| 9 | Adca | Sycamore Maple | | | .10 | .40 |
| | | | | | | |
| 1 | Adci | dt, saccharum, Marsh Sugar Maple | | | .10 | .65 |
| 3 | Adco | dt, spicatum, Lam | | | .20 | 1.50 |
| | | AESCULUS. | | | | |
| - | Adda | dt glabra Willd | | | .10 | -35 |
| | | dt hippocastanum, L | | 1 | .10 | -35 |
| | | European Horse chestnut | | | | .33 |
| | | AILANTUS. | | | | |
| | Adea | dt glandulosa, Desf Tree of Heaven | | | .10 | -35 |
| | | ALNUS. | | | | |
| | Adhe | dt rubra, Bong. (A. ore- | | | | |
| | | gana, Nutt.) | 4 | | .25 | 2.00 |
| 10 | Adhi | dt rugosa, Sprengel | | | .15 | 1.00 |
| 1 | Adha | dt serrulata, Willd | | | 1000 | 1.60 |
| | | | Elle | 133 | | LES ELECTE |
| | | ALTHAEA | | | | |
| | | TT'4 1 | | | | |

see Hibiscus.

AMELANCHIER.

| Adja | ds | alnifolia, I | Vutt | | | 35 | 3.00 |
|------|-----|--------------|------|---|---|------------|------|
| | | canadensis, | T. | & | G | ., .15 | 1.20 |
| | Jun | eberry. | | | | | |

AMORPHA.

| Adli | ds | fruticosa, L | | .10 | .80 |
|------|----|---------------------|------|-----|------|
| Adlo | | microphylla, Pursh, | | .00 | 8.50 |

| AMPELOPSIS | Oz. | 1b. |
|---|-----------|--------------------|
| Adon du cordata Micha | 7.0 | 90 |
| Adoa dv cordata Michx Adoe dv quinquefolia, Michx | 10 | .80 |
| Adoo dv veitchi, Hortdb | 10 | 1.00 |
| Boston Ivy | 20 | 1.50 |
| ANDROMEDA. | | |
| see | | |
| Cassandra, Leucothoe, | | |
| Oxydendron, Pieris, Xo- | | |
| | | |
| lisma. | | |
| Adra ds speciosa, Michx. (Ze- | | |
| nobia cassinifolia, Poll.) | 90 | 8.50 |
| ARALIA. | | |
| | | |
| Adte ds spinosa, Lc | 40 | 4.00 |
| ARBUTUS. | | |
| Adua dt menziesi, Pursh | 20 | 7.07 |
| | 20 | 1.25 |
| ARCTOSTAPHYLOS. | | |
| Adwa es glauca, Lindldb | 10 | 1,00 |
| Adwe es* pungens, HBKdb | 15 | 1.25 |
| Adwi es* tomentosa. Dougl dh | 20 | 2.00 |
| Adwo es uva-ursae, Sprdb | 30 | 3.00 |
| ARISTOLOCHIA. | | |
| | | |
| Adye dv tomentosa, Sims | | 2.50 |
| ASIMINA. | | |
| Adza dt triloba, Dunc | | |
| ridza di tinoba, Danc | 10 | .55 |
| AZALEA. | | |
| Aeca ds arborescens, Pursh db | 40 | 3.50 |
| Aece ds lutea, L. (calendula- | | |
| cea)db | 40 | 3.50 |
| Aecu ds occidentalis T. & G. c | 1.25 | |
| Aecy ds vaseyi, Gray db | 60 | 5.00 |
| Aeda ds viscosa, Ldb | 40 | 3.50 |
| BERBERIS. | | |
| | Soft Make | |
| Aega es aquifolium, Pursh db Aegi es fremonti, Torr Aego es nervosa, Bursh Aegu es repens, Lindldb Aegy ds thunbergi DCdb | 10 | .90 |
| Aegi es iremonti, Torr | 50 | 4.50 6.00 |
| Aego es nervosa, Fursii, | 05 | 1.60 |
| Aegu es repens, Lindidb | 15 | 1.00 |
| Aeha ds vulgaris, Ldb | 10 | .80 |
| | | |
| BETULA. | | |
| Aeja dt alba, L | TO | .50 |
| Aeie dt alba pendula Willd | 15 | 1.00 |
| Aeka dt fontinalis, Sarg | 1.00 | 10.00 |
| Aeke dt lenta, L | 20 | 1.50 |
| Black or Sweet Birch | | 1 1 1 1 1 |
| Aeki dt lutea. Mich. f | 20 | 1.50 |
| Yellow Birch | | 11/10/2017 |
| Aeka dt nigra, L | 20 | 1.50 |
| Aeku dt papyracea Ait. (papy- | | THE REAL PROPERTY. |
| River Birch | | |
| rifera Marsh) | 20 | 1.50 |
| Canoe Birch | | |
| Aeky dt populifolia, Ait | 15 | 1.00 |
| White Birch | | 1000 |

| | CO. | |
|---|-----------|--------------|
| BIGNONIA. | Oz | 1b. |
| Aele ev capreolata, L e (crucigera, Walt.) | 35 | 3.00 |
| BUCKLEYA. | | |
| Aepe ds distichopylla (Nutt.) | 15 | 1.25 |
| CALLICARPA. | | |
| Aera ds americana, Ldb | 10 | - 35 |
| CALYCANTHUS. Aeta ds laevigatus, Willdc | 14 31 64 | |
| Aeta ds laevigatus, Willdc Aete* ds occidentalis, Hook & Arn | 10 | .60 |
| CAMPHORA. | William . | 1,00 |
| Aetu et* officinalis, Steud | 30 | 2.50 |
| CARAGANA. | | |
| Aety ds. arborescens, Lc Pea Shrub. | 15 | 1.00 |
| CARPINUS. Aeva dt caroliniana, Walt. | 10 | .50 |
| CARYA. | | .50 |
| See Hicoria. | | |
| CASSANDRA. | | |
| Aewa es calyculata D. Don | 00 | 5.50 |
| CASTANEA. Aeza dt dentata, Borkh. (C. | | |
| | 10 | .35 |
| CATALPA. Afba dt bignonioides Walt | 10 | .65 |
| Afbe dt hybrida, Spaethc | 10 | .65 |
| | 10 | .65 |
| Afba dt speciosa, Warder | 25 | 2.50 |
| As only the SIMON PURE WESTERN CATALPA will | | |
| produce valuable trees we do | | |
| not carry in stock any longer the cheap speciosa seed but | | |
| can quote lowest prices to | | |
| those who wish to plant them for ornamental purposes. OUR | | |
| SIMON PURE SEED IS | | |
| THE BEST GRADE IN THE MARKET AND IT GIVES | | |
| SATISFACTION. | | |
| CEANOTHUS. | | |
| Afda ds americanus, L,db Afde ds americanus, Lc | | .50 |
| Afdu ds integerrimus. II & A | 20 | 1.25 4.00 |
| Afea ds* thyrsiflorus, Eschsch | 25 | 2.50 |
| CELASTRUS. | 70 | 7.00 |
| Affa dv scandens, Ldb | 10 | 1.00 |
| CELTIS. | | |
| Afga dt occidentalis Ldb | 10 | .60 |
| Hackberry | | |

| OTTO MITTELLISTE. | 114 & CO. | |
|--|--------------|-------------|
| CEPHALANTHUS. | Oz, | 1b. |
| Afha ds occidentalis, Lc | | .60 |
| CERCIS | | .00 |
| Afia dt canadensis, Lc | 10 | .65 |
| Afie dt occidentalis, Torrc | 30 | 3.00 |
| Western Redbud | | |
| CHIONANTHUS. | | |
| Afka ds virginica, Ldb | TO | .60 |
| 1 White Himmer | | .00 |
| Afke ds virginica, Lc | 15 | 1.00 |
| CIT'RUS. | | |
| Afla ds trifoliata, Lc | 15 | 1.20 |
| Hardy Lemon. | | |
| CLEMATIS. | | |
| Afme dv ligusticifolia, Nuttc | 60 | 5.50 |
| Afmi dv paniculata, Thunbc Afmo dv virginiana, L | 50 | 4.50 |
| Afmo dv virginiana, L | 35 | 3.20 |
| Afmu de vitalba, L | | 1.50 |
| Afmy dy viticellac | 15 | 1.25 |
| CLETHRA. | | |
| Afoa ds alnifolia, Ldb | 10 | .65 |
| COLUTEA. | | |
| Afou ds arborescens, Lc | 10 | .70 |
| Diaddel Denna | | |
| CORNUS. | | |
| Afpa de alternifolia, L. fdb | 10 | .75 |
| Afpe ds amomum, Milldb Afpo ds candidissima, Marsh | 10 | .75 |
| Afpu ds circinata, L'Herdb | 10 | .75 1.20 |
| Afpy dt florida, Ldb | 15 | .30 |
| White Flowering Dogwood | \$20 per 100 | |
| | 10 | .40 |
| Afra ds mas, Ldb Afre dt nuttalli, Auddb | IO | .8o |
| Afri ds sanguinea L. | 10 | .50 |
| Afro ds stolonifera, Michx. db Red Osier. | 10 | .50 |
| Red Osier. | | .50 |
| CORYLUS, | | |
| Afta ds americana, Walt | 10 | .40 |
| CRATAEGUS. | •• •• •• | .40 |
| Agai dt coccinea, Ldb | 10 | -35 |
| Agba ds crus-galli, Ldb | 10 | .35 |
| Agda ds uniflora, Muench. (C. | | |
| parvifolia)db | 15 | 1.50 |
| CYRILLA. | | |
| 'Agea dt racemiflora, L | 10 | .50 |
| D.ENDRIUM | | |
| Agga es buxifolium, Desv | 60 | 4.50 |
| DIERVILLA. | | |
| Agie ds sessilifolia, Buckl | 15 | 1.25 |
| Agii ds trifida, Moench | 20 | 2.00 |
| DIOSPYROS. | | |
| Agka dt virginiana, Lc | 10 | 2- |
| Persimmon. | | .35 |
| | | |

| | DIRCA. | | | Oz | 1b. |
|--|---|-----|--------------|---|---|
| 10-1- | de polyatria I | | | | |
| Agia | ds palustris Lc | • • | • • | .15 | 1.50 |
| | | | | | |
| , | ELAEAGNUS. | | | | |
| √Agna | ds angustifolia, L | | | .IO | .70 |
| | Russian Olive | | | | |
| | EUCALYPTUS. | | | | |
| · A ma | | | | | |
| Agni | et* globulus, Labill et* robusta, Sm | | | - | 4.50 |
| Agpu | et* rostrata, Cav | | | | 4.50 |
| 67 | | ٠. | | .50 | 4.50 |
| 11. | EUONYMUS. | | | | |
| Agno | ds alatus, Maximc | | | | 2.50 |
| Agoa | ds americanus, Lc | ٠. | | | OG. I |
| Agoi | ds atropurpureus, Lc es japonicus. Thunbc | • • | | .15 | 1.25 |
| JAgoo | | ٠. | | .20 | 1.50 |
| | EXOCHORDA. | | | | |
| √ Agra | ds grandiflora Lindlc | | | .25 | 2.25 |
| | FAGUS. | | | | |
| A arta | dt americana, Sweet (fer | | | | |
| Agia | ruginea Ait.) | | | .15 | .80 |
| Agte | ruginea, Ait.) dt sylvatica, L | | | .10 | .50 |
| 1.500 | | | | | |
| 1 . | FOTHERGILLA. | | | | |
| Agva | ds carolina, Brit. (F. al- | | | 0. | |
| | nifolia)c | ٠. | | .00 | |
| | FRAXINUS. | | | | |
| Agva | dt americana, L. (alba) c | | | .IO | 40 |
| 0, | White Ash | 9 | \$26 | ner | 100 Lbs. |
| | | • | φ2U | PCI | |
| | | | φ 2 0 | per | 100 -400 |
| Agyi | dt nigra, Marsh. (sambu- | | | .10 | .70 |
| Agyi | dt nigra, Marsh. (sambucifolia) | | | .10 | .70 |
| Agyi Agyo | dt nigra, Marsh. (sambucifolia) | | | .10 .15 | .70 1.25 1.00 |
| Agyi Agyu Agyu | dt nigra, Marsh. (sambucifolia) | | | .10 .15 .10 | .70 1.25 1.00 1.60 |
| Agyi Agyu Agyu | dt nigra, Marsh. (sambucifolia) | | | .10 .15 .10 .15 | .70 1.25 1.00 1.60 |
| Agyi Agyu Agyu | dt nigra, Marsh. (sambucifolia) | | | .10 .15 .10 .15 | .70 1.25 1.00 1.60 |
| Agyi Agyo Agyu Agyy Agyz | dt nigra, Marsh. (sambucifolia) | | | .10 .15 .10 .15 | .70 1.25 1.00 1.60 .50 100 Lbs. |
| Agyi Agyo Agyu Agyy Agyz | dt nigra, Marsh. (sambucifolia) | | | .10 .15 .10 .15 .10 per | .70 1.25 1.00 1.60 |
| Agyi Agyo Agyu Agyy Agyz | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per | .70 1.25 1.00 1.60 .50 100 Lbs. |
| Agyi Agyo Agyy Agyz Agzo | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per | .70 I.25 I.00 I.60 .50 I00 Lbs. |
| Agyi Agyo Agyy Agyz Agzo | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per | .70 1.25 1.00 1.60 .50 100 Lbs. |
| Agyi Agyu Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | ••• | \$25 | .10 .15 .10 .15 .10 per | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 |
| Agyi Agyu Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per | .70 I.25 I.00 I.60 .50 I00 Lbs. |
| Agyi Agyo Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | ••• | \$25 | .10 .15 .10 .15 .10 per | .70 I.25 I.00 I.60 .50 IOO Lbs. 5.00 |
| Agyi Agyo Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | ••• | \$25 | .10 .15 .10 .15 .10 per | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 |
| Agyi Agyo Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .10 .40 .15 .25 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 |
| Agyi Agyo Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 |
| Agyi Agyo Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per .50 .40 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 |
| Agyi Agyu Agyy Agyz Agzo Ahba Ahbe | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .10 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 |
| Agyi Agyo Agyy Agyz Agzo Ahba | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .10 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 |
| Agyi Agyu Agyy Agyz Agzo Ahba Ahbe | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .10 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 |
| Agyi Agyy Agyy Agyz Agzo Ahba Ahce Ahce Ahca | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per .50 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 |
| Agyi Agyy Agyy Agyz Agzo Ahba Ahce Ahce Ahca | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per .50 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs. |
| Agyi Agyy Agyy Agyz Agzo Ahba Ahbe Ahce Ahci Ahca Ahfe | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per .50 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs. |
| Agyi Agyy Agyy Agyz Agzo Ahba Ahbe Ahce Ahci Ahca Ahfe | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .40 .15 .25 .20 .10 .10 .15 .10 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs. |
| Agyi Agyy Agyy Agyz Agzo Ahba Ahbe Ahce Ahci Ahca Ahfe | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 .15 .10 per .50 .40 .15 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs. |
| Agyi Agyy Agyy Agyz Agzo Ahba Ahbe Ahce Ahci Ahca Ahfe | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .40 .15 .25 .20 .10 .10 .15 .10 .25 .20 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs. |
| Agyi Agyy Agyz Agzo Ahba Ahce Ahca Ahfe Ahga | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .40 .15 .25 .20 .10 .10 .10 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs8e |
| Agyi Agyy Agyz Agzo Ahba Ahce Ahca Ahfe Ahga | dt nigra, Marsh. (sambucifolia) | | \$25 | .10 .15 .10 per .50 .40 .15 .25 .20 .10 .10 .10 .10 | .70 1.25 1.00 1.60 .50 100 Lbs. 5.00 1.25 4.00 1.50 2.50 1.75 .30 100 Lbs8e |

| | OTTO KATZENSTEI | N & CO. | 9 |
|--------------|--|-----------------|---------------|
| | HAMAMELIS. | Oz. | 1b. |
| Ahla | ds virginica, Lc Witch Hazel | 15 | 1.00 |
| | HETEROMELES. | | |
| Ahm | a et* arbutifolia, Roem. | | |
| | HIBISCUS. | | |
| Ahna Ahne | dt moscheutos, L dt syriacus, L c | 15 | 1.50 |
| | HICORIA. | | |
| Ahoa | dt alba (Nutt) Britt, (C. tomentosa) | \$7 per 10 | .20 o Lbs. |
| Ahoe | dt glabra, Britt (C por- | | |
| 4 | cina, Nutt.) | \$7.50 per 10 | |
| Ahoi | dt laciniosa, Sarg.(C. sulcata, Nutt) | | .20 |
| | Shellbark | \$12 per 10 | o Ibs. |
| Ahoo | dt minima, Britt (C. amara, Nutt.) | | .20 |
| 1 | Bitternut, | ф/.50 рег 10 | |
| Ahou | dt ovata, Britt. (C. alba Shagbark. dt pecan, Britt. (C. olivi | \$9 per 100 | o Lbs. |
| | dt pecan, Britt. (C. olivi formis, Nutt.) | \$22.50 per 10 | |
| | HYDRANGEA. | | |
| Ahra | ds arborescens, Le | 50 | 5.00 5.50 |
| Ahro | ds paniculata, Siebc ds quercifolia, Bartrdb ds radiata, Waltc | | 6.00 5.00 |
| | ILEX. | | |
| Ahva | ds cassine, L | ,, .20 | 1.60 |
| Ahve | lawpon. es crenata, Thbgc | 30 | 2.50 |
| Ahvi | Japanese Holly es glabra, Graydb | 10 | .50 |
| Ahvu | Inkberry, es lucida, T. & G. (co- | | |
| Ahma | riacea, Chapm.)db et opaca Aitdb | 10 | .60 .30 |
| | Holly | | .,,0 |
| * Ahwe | ds verticillata, Gray db Black Alder | 10 ` | -35 |
| | ITEA. | | |
| Ahza | ds virginica, Ldb | 15 | 1.60 |
| 14 | JUGLANS. | | |
| | dt cinerea, L | \$4 per 100 | .20 Lbs. |
| - Ajai o | Butternut It nigra, L | o nor hundre | .15 |
| | KALMIA. | o per minuret | 1 1405. |
| Ayea | es latifolia, Lc | 25 | 2.50 |
| | | | |

| | 10 | OTTO KATZENSTEIL | N & CO. | |
|------|----------------------|--|----------------|---------------------|
| 1 | Ajeo | KOELREUTERIA. dt paniculata, Laxm Varnish Tree | Oz. | 1b. 1.25 |
| | Ajeu Golde | LABURNUM. ds vulgare Gries | 15 | .80 |
| | Ajey | LAGERSTROEMIA. dt* indica, L Crape Myrtle | 25 | |
| | | LEIOPHYLLUM. see Dendrium. | | |
| | | LEUCOTHOE. | | |
| 1 | Aiua Ajue Akaa | Andromeda, Pieris. es catesbaei, Graydb catesbaei, Grayc ds recurva, A. Graydb | 10 | .55 2.00 2.25 |
| | | NDERA. (LAURUS). | | |
| | Akbu | ds benzoin, Blumedb Allspice | 10 | .75 |
| 1.00 | Akca | LIQUIDAMBAR. dt styraciflua, Lc Sweet Gum | 20 | 2.00 |
| | Akda | LIRIODENDRON. dt tulipifera, L Tulip Tree | 10 \$35 per | .45 100 Lbs. |
| | Akea Akeu | LONICERA. ds involucrata, Banks ds tatarica, L | 1.20 | 1.60 |
| | Akga | MACLURA. ds aurantiaca, Nutt Osage Orange | 10 \$25 per | .40 100 Lbs. |
| | | MAGNOLIA. | | |
| | Akhe | dt acuminata, Ldb dt fraseri, Waltdb | 15 | 1.00 2.50 .80 |
| | Akho | et glauca, L,db et grandiflora, L,db | | .70 |
| | Akhu | dt macrophylla, Mxdb | 20 | I.20 |
| | | dt tripefala, Ldb MELIA. | 15 | 1.00 |
| | | dt* azederach, Ldb Pride of China | 10 | -35 |
| | Akke | dt* a. umbraculifera, Sarg db ⁻ Texas Umbrella Tree | 10 | .35 |
| | | MENISPERMUM. | | |
| | Akla M | dv canadense, L | 25 | 2.25 |
| | | MORUS. | | |
| | Akma | dt alba, L. var. tatari- | 20 | 1.50 |
| | Akme | Russian Mulberry. dt rubra, L. | | 1.50 |
| | | | | |

| | OTTO KATZENSTEIN & CO. | 11 |
|--------|---|-----------------|
| | MYRICA. Oz. | , 1b. |
| Akna | et* californica, Ch. & | 1 -~. |
| | Schl | 2.00 |
| | ds carolinensis, Mill | .90 .80 |
| Akm | ds cerrera, 14db | .00 |
| | NEGUNDO. | |
| | see Acer negundo. | |
| 7 | NYSSA. | |
| Akpa | dt sylvatica, March (mul- | " 0 |
| Т | tiflora, Wang.)db10 'upelo, Black Gum \$37.50 per | 100 Lbs. |
| | OREODAPHNE. | |
| | See Umbellularia | |
| 4 | OSTRYA. | |
| Akra | dt virginica, Willdc · · · · · · · · · · · · · 25 | 2.00 |
| | OXYDENDRON. | |
| | dt arboreum DCc15 | 1.20 |
| Akse | arboreum DCdb10 | .40 |
| | PAULOWNIA. | |
| Akva | dt* imperialis, S. & Zc · · · · · · · · · · · · · · · · · · | 1.00 |
| | Empress Tree | |
| • | PERSEA. | |
| Akwa | et* borbonia, Spreng. db · · · · · · 25 | 2.50 |
| | PIERIS. | , |
| | see Andromeda, Cassan- | |
| A Imma | dra, Xolisma. | 3.60 |
| Akve | ds floribunda, B. & H. db 40 floribunda, B. & Hc 85 | 8.50 |
| Akyi | ds mariana, B. &. Hc20 | , 1.50 , .60 |
| Akyo | mariana, B. & H db | 1.50 |
| Akyu | * nitida, B. & Hdb · · · · .10 | .60 |
| | PLATANUS. | |
| Alaa | dt occidentalis, Lc10 | .40 |
| Alae | dt orientalis Lc10 | .50 |
| | European Plane | |
| 3 | POPULUS. | 0- |
| Alba | dt deltoides, Marshc10 | .85 |
| | PRUNUS. | :85 |
| Alca | ds americana, Marshdb10 et caroliniana, Aitdb10 | .50 |
| Alco | et ilicifolia Walp 15 | 1.50 |
| Alcu | et integrifolia | 1.80 |
| | Beach Plum | 1.00 |
| - Alde | dt pennsylvanica. L. fdb15 | 1.25 |
| Aldi | dt serotina, Ehrhdb10 Wild Black Cherry \$22.50 per | .40 100 Lbs. |
| Aldo | Wild Black Cherry \$22.57 per dt virginiana, L db | .85 |
| | PTELEA. | |
| Alea | ds trifoliata, L 15 | 1.60 |
| | Hop Tree | |
| | PURSHIA. | |
| Alfa | ds tridentata. DC | 3.50 |
| | | |

| PYRUS. | Oz. 1b. |
|--|----------------------------|
| see Sorbus. | |
| QUERCUS. | |
| Alka dt alba, L | \$8 per 100 Lbs. |
| White Oak aquatica, Wang. see Qu | 1. |
| Alke dt bicolor, Willd | |
| | •\$10 per 100 Lbs. |
| Alko dt catesbaei, Michx | \$7.50 per 100 Lbs. |
| Alku dt coccinea, Wang Scarlet Oak | 30 |
| Scarlet Oak √Alky dt digitata, Sudw. (falca | \$8 per 100 Lbs. |
| ta Mx.) | |
| Spanish Oak | \$12 per 100 Lbs. |
| Alla dt garryana, Dougl Alle ds ilicifolia, Wang | |
| ************** | \$12 per 100 Lbs. |
| Allo et laurifolia, Michx | |
| Ally dt lyrata, Walt | .\$10 per 100 Lbs. |
| | \$12.50 per 100 Lbs. |
| Alma dt macrocarpa, Michx Mossy Cup Oak | \$10 per 100 I be |
| Aime dt marylandica, Muench | h |
| (nigra, Wang.) | \$7.50 per 100 Lbs. |
| Almo dt nigra, L | |
| Water Oak, | |
| Almu dt obtusiloba, Mx | \$12 per 100 Lbs. |
| Almy dt palustris Muench | 35 |
| Alna dt phellos, L | \$15 per 10 Lbs25 |
| | \$15 per 100 Lbs. |
| Aine dt prinus L | |
| Alni dt rubra, L | \$7.50 per 100 14bs. |
| Red Oak | \$7.00 per 100 Lbs. |
| Alno dt velutina, Lam. (tin | c- |
| toria, Mx) Black Oak Alnu et virginiana, Mill. (Quirens, Ait.) | 30 \$12,50 per 100 Lbs. |
| Alnu et virginiana, Mill. (Qu | u |
| Live Oak | \$12 per 100 Lbs. |
| RHAMNUS. | |
| Alra dt caroliniana, Waltd Alre dt purshiana, D. Cd | b10 |
| Cascara Sagrada Alri et purshiana californic | |
| RHODODENDRON. | |
| Alex or colifornicum Hook | .cI.00 |
| Alse es catawbiense, Michx Alsi et maximum, L | c40 3.50 c30 2.75 |
| Alsi et maximum, L | .c30 . 2.75 |

| RHUS. | | Oz. | 1b. |
|--|------|---------|-------|
| Alua ds aromatica, Aitdb | | TO | .85 |
| Alue ds copallina, L | •• | 10 | |
| Alui da clobro I | • • | | .25 |
| Alui de glabra, L | • • | | .25 |
| Alve ds trilobata, Nuttc | • • | | 2.50 |
| Alvo ds typhina, L | • • | 10 | .80 |
| ROBINIA. | | | |
| | | | |
| Alye dt pseudacacia, L | | 10 | .40 |
| Black or Yellow Locust \$ | 18 1 | per 100 | LDS. |
| ROSA. | | | |
| Alza ds acicularis, Lindldb | | 7.0 | 7.00 |
| Alze ds arkansana, Porterdb | | 10 | 1.00 |
| Alze us arkansana, rotterub | • • | 15 | 1.25 |
| Alzi ds blanda, Aitdb | • • | 15 | .75 |
| Meadow Rose | | | |
| Alzo ev* bracteata, Wendldh | • • | 15 | 1.50 |
| | | | |
| Alzu ds californica, Ch. Schl. | | 50 | 5.00 |
| Alzy ds carolina. Ldb | | o1 | 1.20 |
| Swamp Rose | | | |
| Amaa ds humilis, Marchdb | | 15 | 1.50 |
| Amae ev* laevigata, Michx. db | •• | 15 | 1.50 |
| Cherokee Rose | ••• | 3 | 1.,0 |
| Amai de lucida Ehrh dh | | 15 | 1.20 |
| Amao ds multifler, hbgdb | • • | 15 | 1.60 |
| Amau ds nitid willddb | | 10 | 1.00 |
| Argay de la sea Thunh dh | • • | | |
| Ambe ds setigeradb | | 15 | 1.25 |
| Ambi da setigera | | 10 | .90 |
| Ambi dv wichuraiana, Crep | • • | | 3.00 |
| Ambo ds woodsii, Lindldb | • • | 20 | 2.00 |
| (fendleri.) | | | |
| RUBUS. | | | |
| Amfa de deliciones Tomos | | | |
| Amfa ds deliciosus, James | • • | 1.50 | 14.00 |
| SAMBUCUS. | | | |
| | | | |
| Amia ds canadensis, L | • • | 10 | .45 |
| Sweet Elder | | | |
| SAPINDUS. | | | |
| | | | |
| Amja dt* marginatus, Willd | | 15 | 1.6ა |
| Calif. Laurel | | | |
| G A CC A TOD A C | | | |
| SASSAFRAS. | | | |
| Amka dt officinale, Neesdb | | 10 | .60 |
| | | | |
| SCHINUS. | | | |
| Amla et* molle, Ldb | | 10 | CO.I |
| Amla et* molle, Ldb Calif Pepper Tree | | | |
| | | | |
| SHEPHERDIA. | | | |
| Amme dt argentea, Nutt | | 30 | 2.50 |
| Amma dt canadensis, Nutt | • | 30 | 2.50 |
| * * * | | .03 | |
| Buffalo Berry | | | |
| CODLIODA | | | |
| SOPHORA. | | | |
| Amoa dt japonica, L | | 25 | 2.00 |
| | | | |
| SMILAX. | | | |
| Ammu* ev laurifolia, Ldb | | 10 | .60 |
| Ammu* ev laurifolia, Ldb Amna dv walteri. Purshdb | | 10 | .60 |
| | | | |
| SORBUS. | | | |
| Ampa dt americana, Marsh. db | | 15 | 1.20 |
| Mountain Ash | | , | |
| | | | |

| OTTO RATZENSTEIN & CO. | |
|--|----------------|
| SORBUS—Cont'd Oz | 1b. |
| Ampi ds arbutifolia, K. Koch | .60 |
| Chokeberry Ampo ds aucuparia, Ldb | .75 |
| SPARTIUM. | |
| Amra es junceum, L Spanish Broom | .70 |
| Amre es scoparium L | .40 |
| SPIRAEA. | |
| Amse ds douglasi, Hookdb20 Amso ds menziesi, Hookdb10 | 2.00 I.00 |
| Amta ds salicifolia, Ldb10 | .90 |
| Amua ds colchica, Stev 25 | 2.00 |
| Bladdernut Amue ds colchica, Stev15 | 1.20 |
| STUARTIA. Amza ds pentagyna, L'Herc15 | 1.60 |
| American Camellia | |
| SYMPHORICARPOS. | |
| Ambe ds occidentalis, R. Br20 Ambi ds vulgaris, Michxdb15 | 2.00 |
| Coral Berry | 1.25 |
| SYRINGA. | |
| Ambo ds vulgaris, Ldb30 Ambu ds vulgaris, Ldb15 | 3.00 1.60 |
| TECOMA. | |
| Anfa dv radicans, Jussc20 Trumpet Flower | 1.40 |
| TILIA. | |
| Anga dt americana, L | .65 bs |
| ULMUS. | |
| Anka dt americana, L 10 | .80 |
| UMBELLULARIA. | |
| Anla dt* californica, Nutt | 1.00 |
| VACCINIUM. | |
| Anoa dt arboreum, Marsh, db15 | 1.60 |
| Anoe ds atrococcum, riener db15 | 1.60 |
| Anoi ds corymbosum, Ldb20 | с8.1 |
| Anoo de erythrocarpum, Mx db20 | 2.00 . 1.60 |
| Anpa ds pennsylvanicum. Lam | 1.00 |
| 'Ansa de acerifolium Idb10 | .90 |
| Ansa ds acerifolium, Ldb10 Anse ds cassinoides, Ldb10 | .80 |
| Withe Rod | |
| Ansi ds dentatum, Ldb10 Arrow Wood | .90 |
| Anso ds lantanoides, Mxdb10 Hobble bush | 1.00 |
| | |

| OTTO KATZENSTE | in a co. | 13 |
|--------------------------------|------------|------|
| VIBURNUM—Cont'd | Oz. | 1b. |
| Ansu ds lentago, Ldb | 10 | 00.1 |
| Sheenherry | | 1.00 |
| Ansy ds nudum, Ldb | IO | .50 |
| Anta ds opulus, Ldb | IO | 1.00 |
| Ante ds prunifolium, Ldb | IO | .50 |
| Black Haw | | |
| Anto ds* rufotomentosum | | |
| Smalldb | 15 | 1.40 |
| VITIS | | |
| | HERV I CHE | |
| Anva dv aestivalis, Michxc | 20 | 1.50 |
| Anvi dv labrusca, Lc | | 1.50 |
| Anvy dv rotundifolia, Michx. c | 20 | 1.50 |
| | 20 | 1.50 |
| WISTARIA. | | |
| Apaa dv chinensis, DC,c | 30 | 2.50 |
| Apae dv chinensis albac | 35 | 3.50 |
| Apai dv frutescens, DC. (W. | | |
| speciosa Nutt.)c | 15 | 1.00 |
| Apao dy frutescens magnifica | 15 | 1.40 |
| XANTHOXYLUM. | | |
| Apea ds americanum, Mill | 15 | 1.50 |
| Prickly Ash | | |
| XOLISMA. | | |
| Apga ds ligustrina, Brittdb | 25 | 2.50 |
| | 25 | 2.50 |
| YUCCA. | | |
| Apia es* applanata | I.00 | |
| Apie et* baccata, Torrc | 65 | |
| Apii et* brevifolia, Engc | 1.00 | |
| Apio es filamentosa, Lc | | 1.25 |
| Apiu es glauca, Nuttc | 40 | 3.50 |
| Apke es macrocarpa, Engc | 40 | 3.50 |
| Apki es* whipplei, Torrc | 45 | 4.50 |

HERBACEUS SEEDS AND ROOTS.

SEED—TRADE PACKETS of any kind 20c. ¼ oz. and ¼ lbs, at ounce and pound rates.

ROOTS—5 at 10 and 40 at 100 rates.

| | Seeds | | Roots | |
|--------------------------------|-------|------|-------|--|
| | OZ | 10 | 100 | |
| Aconitum columbianum | 4.50 | 1.00 | 7.50 | |
| Agave applanata parryi | | 1.50 | 9.00 | |
| Amsonia tabernaemontana . | | .70 | 4.00 | |
| Anemone patens | | .85 | 6.00 | |
| Aquilegia caerulea \$15 a lb | | 1.30 | 8.00 | |
| Aquielegia chrysantha | | | | |
| Asclepias tuberosa | 1.00 | :75 | 4.00 | |
| Aster commutatus | | | | |
| Aster laevis | 1.80 | | | |
| Aster latifolius | 4.00 | | | |
| Astragalus shortianus | 3.50 | | | |
| Bigelovia graveolens | | | | |
| Cassia marylandica \$1.40 a ll | -35 | | | |
| Castilleja acuminata | 7.00 | 1.50 | 8.50 | |
| Chrysopsis foliosa | 5.00 | | | |
| Clematis coccinea | 1.50 | .75 | 5.00 | |
| Clematis fremonti | 1.25 | | | |

OTTO KATZENSTEIN & CO., ATLANTA, GA., U.S.A.

| | Seeds | T. | Roots |
|--|-------|------|--------------|
| | OZ | 10 | 100 |
| Clitoria mariana | | .65 | 4.00 |
| Cobaea scandens | | .05 | 4.00 |
| Coreopsis lanceolata | | | |
| Cypripedium acaule | | 1.00 | 7.00 |
| Cypripedium spectabile | | 3.00 | 22.50 |
| Darlingtonia californica | | 2.25 | 15.00 |
| Delphinium albescens | .5.00 | | |
| Desphinium cardinale Dendromecon rigidum | 2.00 | | |
| Dionaea muscipula | 7.50 | .75 | 3.50 |
| Drosera rotundifolia | | .50 | 2.00 |
| Euphorbia robusta | .3.00 | | |
| Frasera speciosa | .2.00 | | |
| Galax aphylla | | .60 | 2.50 |
| Gaura coccinea | | | |
| Gentiana alba | | 6- | 2.00 |
| Gentiana angustifolia Gentiana bigelovii | .5.00 | .65 | 3.00 7.00 |
| Gentiana parryi | | 2.00 | 12.00 |
| Gentiana saponaria | | .65 | 4.00 |
| Gilia aggregata | .2.50 | | |
| Gymnolomia multiflora | .5.50 | | |
| Habenaria blephariglottis | .4.00 | .65 | 3.00 |
| Habenaria ciliaris | .5.00 | 65 | 3.00 |
| Helianthus maximiliani | 2.00 | .85 | 5.00 |
| Helianthus pumilus Lachnanthes tinctoria \$7 a ll | 1.75 | 70 | 250 |
| Lathyrus splendens | .1.50 | .70 | 3.50 |
| Liatris graminifolia | .1.50 | .40 | 2.00 |
| Liatris pycnostachya | .2.50 | | |
| Liatris squarrosa | .1.50 | .40 | 2.00 |
| Lilium | | | Special |
| Lobelia cardinalis | .2.00 | .85 | 5.00 |
| Lupinus argenteus Lupinus diffusus | .1.50 | | |
| Mentzelia ornata | 250 | | |
| Malvastrum coccineum | .2.50 | .85 | 5.00 |
| Oenothera caespitosa | .3.00 | | |
| Oxytropis lamberti | | | |
| Oxytropis lamberti spicata . | | | |
| Passiflora incarnata \$2.50 a l | | .60 | 3.00 |
| Penstemon caeruleus | | | |
| Penstemon humilis Phlox douglasi | | | |
| Phlox subulata | 8.00 | .75 | 4.00 |
| Phytolacca decandra \$2 a 11 | | ,,, | |
| Primula parryi | .4.50 | | |
| Pyxidanthera barbulata | | 1.25 | 8.00 |
| Rhexia mariana | | .60 | 3.00 |
| Rhexia virginica | | .60 | 3.00 |
| Sarracenia flava | 75 | .75 | 4.00 |
| Sarracenia psittacina | .1.20 | .75 | 4.00 |
| Sarracenia purpurea | | .45 | 2.50 |
| Sarracenia rubra | 75 | .75 | 4.00 |
| Sarracenia variolaris | | .75 | 4.00 |
| Silene virginica | .1.20 | -75 | 4.00 |
| Shortia galacifolia | 7.00 | 1.50 | 9.00 |
| Stokesia cyanea \$12 a lb Tephrosia virginica | .1.00 | .65 | 3.50 4.00 |
| Trilisa odoratissima \$6 a 1 | | .65 | 3.50 |
| Trollius albiflorus | | .03 | 3.30 |
| Viola cognata | .6.00 | | |
| Viola pedata | 8.00 | .60 | 3.00 |
| Viola rydbergii | 9,00 | | |



